

Issued in: 19/11/2019
 Updated in: 26/09/2019

Product: NATURAL PVP C1S

White coated paperboard with natural back

Parameters	unit	Test Method	Substances				Tolerance
Grammage	g/m2 Tolerance 5%	Tappi 410	245	272	310	342	+/- 5%
Thickness	microns/10 Tolerance 5%	Tappi 411	30.5	35.6	40.6	45.7	+/- 5%
Stiffness Tab CD	g.cm	Tappi 489	24	35	53	63	+/- 15%
Stiffness Tab MD	g.cm	Tappi 489	39	60	92	115	+/- 15%
Caliper	Pts		12	14	16	18	+/- 5%
Roughness	microns	Tappi 555	2.8	2.8	3	3	
Gloss 75° FS	%	Tappi 480	50				
Moisture	%	Tappi 412	7.2				+/- 1.5
Brightness	%	Tappi 452	85				+/- 0.5

* ISEGA certificate

* High Whiteness and Brightness coated paperboard with a natura creamy color on the back

* Virgin sugarcane fiber

* Test conditions are controled at a temperature of $23 \pm 2^{\circ}$ C and relative humidity of $50 \pm 5\%$ as stablish in Tappi T-402

Applications:

Mass consumption products
 packaging
 Health and beauty product
 packaging
 Pharmaceutical packaging
 Food Packaging
 Confectionary packaging

