

Issued in: 06/02/2019
Updated in: 26/09/2018

Product: NATURAL GREASE RESISTANT KIT 7

Grease Resistant Paperboard

Parameters	unit	Test Method	Substances				Tolerance
Grammage	g/m2 Tolerance 5%	Tappi 410	207	233	270	302	+/- 5%
Thickness	microns/10 Tolerance 5%	Tappi 411	30.5	35.6	40.6	45.7	+/- 5%
Stiffness Tab CD	g.cm	Tappi 489	24	35	57	63	+/- 15%
Stiffness Tab MD	g.cm	Tappi 489	39	60	92	115	+/- 15%
Caliper	Pts		12	14	16	18	+/- 5%
Moisture	%	Tappi 412	6.5				+/- 0.5
Roughness	microns	Tappi 555	9.5				
Greaseproof	Kit	Tappi 559	7				
Brightness	%	Tappi 452	40				

- * It complies with FDA regulations according to ISEGA's certificate
- * Natural Color, no plastic or fluorocarbons are used and free from bleaching chemicals
- * Virgin sugarcane fiber usefull for any packaging application that requires high tolerance of humidity
- * Test conditions are controled at a temperature of $23 \pm 2^{\circ}$ C and relaative humidity of $50 \pm 5\%$ as stablish in Tappi T-402

Applications:

Pizzas

Fast Food

Fried Food

Burgers

Pastries

